

**REFERENCE COPY**

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



**Federal Communications Commission  
Public Safety and Homeland Security Bureau**

**RADIO STATION AUTHORIZATION**

LICENSEE: CROUSE HOSPITAL

ATTN: NURSE MANAGER, EMER. DEPT.  
CROUSE HOSPITAL  
736 IRVING AVE  
SYRACUSE, NY 13210

<b>Call Sign</b> KDA828	<b>File Number</b> 0005771011
<b>Radio Service</b> PW - Public Safety Pool, Conventional	
<b>Regulatory Status</b> PMRS	
<b>Frequency Coordination Number</b>	

FCC Registration Number (FRN): 0003411287

<b>Grant Date</b> 06-25-2013	<b>Effective Date</b> 06-25-2013	<b>Expiration Date</b> 06-14-2023	<b>Print Date</b> 06-26-2013
---------------------------------	-------------------------------------	--------------------------------------	---------------------------------

**STATION TECHNICAL SPECIFICATIONS**

**Fixed Location Address or Mobile Area of Operation**

**Loc. 1 Address:** 736 IRVING AVE  
**City:** SYRACUSE    **County:** ONONDAGA    **State:** NY  
**Lat (NAD83):** 43-02-32.2 N    **Long (NAD83):** 076-08-19.7 W    **ASR No.:**    **Ground Elev:** 168.0

**Antennas**

Loc No.	Ant No.	Frequencies (MHz)	Sta.Cls.	No. Units	No. Pagers	Emission Designator	Output Power (watts)	ERP (watts)	Ant. Ht./Tp meters	Ant. AAT meters	Construct Deadline Date
1	1	000155.2650000	FB	1		20K0F3E	100.000		46.0		
1	1	000155.2800000	FB	1		20K0F3E	100.000		46.0		
1	1	000155.2950000	FB	1		20K0F3E	100.000		46.0		
1	1	000155.3400000	FB	1		20K0F3E	100.000		46.0		

**Conditions:**

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

**Licensee Name:** CROUSE HOSPITAL

**Call Sign:** KDA828

**File Number:** 0005771011

**Print Date:** 06-26-2013

**Control Points**

**Control Pt. No. 1**

**Address:** 750 E ADAMS ST

**City:** SYRACUSE **County:** **State:** NY **Telephone Number:** (315)470-7411

---

**Associated Call Signs**

---

**Waivers/Conditions:**

Beginning January 1, 2013, this station must operate on channels with a bandwidth of 12.5 kHz or less, or with equivalent efficiency, regardless of the emission bandwidths set forth on this license. See Section 90.209(b)(5) of the Commission's Rules. Note, however, that the narrowbanding requirement does not apply to specific channels designated in Rule 90.20 or 90.35 for paging only.