REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.

				fety a	and H	omelan	ons Con d Security HORIZA	Burea						
LICENSEE: CITY OF CHANDLER								Call Si KRO46						
ATTN: MATTEW W. MATTHEYER CITY OF CHANDLER 414 MANVEL AVE								Radio Service PW - Public Safety Pool, Conventional						
	CHANDLER, OK 74834							Regulatory Status PMRS						
FC	FCC Registration Number (FRN): 0013752068							Frequency Coordination Number						
		Grant Date 07-23-2015		ctive I -23-20				Expiration Date 08-08-2025			Print Date 07-24-2015			
			STATI	ON 1	TECHN	VICAL S	SPECIFIC	ATIONS	5					
Loc	enna Ant	Lat (NAD83): 35-42-0 Area of operation Operating within a 40. s Frequencies (MHz)	0 km radius ar		fixed loo	cation 1 No.	Emission Designator	Output	ERP	Ant.	Ant.	Construct Deadline		
1	1	000154.81500000		FB	1	1 agers	11K0F3E	(watts) 100.000		meters	meters 21.0			
1	1	000155.67000000]	FB	1		11K0F3E	100.000	100.000	29.0	21.0			
1	1	000155.92500000]	FB	1		11K0F3E	100.000	100.000	29.0	21.0			
2	1	000154.81500000]	MO	40		11K0F3E	40.000						
2	1	000155.67000000]	MO	40		11K0F3E	40.000			\mathbf{D}			

Licensee Name: CITY OF CHANDLER

Call Sign: KRO467			File Number: 0006858839					Print Date: 07-24-2015				
Antennas	,											
Loc Ant No. No.	Frequencies (MHz)	Sta. Cls.	No. Units	No. Pagers	Emission Designator	Output • Power (watts)		-	Ant. AAT meters	Construct Deadline Date		
2 1	000155.92500000	МО	50		11K0F3E	40.000						
Control I	Points											
Control I	Pt. No. 1											
Address:	414 Manvel Ave											
City: CH	ANDLER County: State:	ок т	elephon	e Numb	er: (405)258	-3200						
Associate	ed Call Signs											
<na></na>												
Waivers/	Conditions:											

This authorization is granted in part to remove emission types which do not comply with Rule 90.209. Please review Public Notice DA 14-281 for further information.

0