REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission Public Safety and Homeland Security Bureau

RADIO STATION AUTHORIZATION

LICENSEE: MANASQUAN HOOK & LADDER CO 1

ATTN: MANASQUAN BOARD OF FIRE COMISSIONER MANASQUAN HOOK & LADDER CO 1 35 COLBY AVE MANASQUAN, NJ 08736 Call Sign
KOC471

Radio Service
PW - Public Safety Pool, Conventional

Regulatory Status
PMRS

Frequency Coordination Number

FCC Registration Number (FRN): 0003302296

| Grant Date | Effective Date | Expiration Date | Print Date |
|-------------------|----------------|------------------------|------------|
| 10-03-2012 | 10-03-2012 | 11-27-2022 | |

STATION TECHNICAL SPECIFICATIONS

Fixed Location Address or Mobile Area of Operation

Loc. 1 Address: OLD SQUAN PLAZA

City: MANASQUAN County: MONMOUTH State: NJ

Lat (NAD83): 40-07-29.4 N Long (NAD83): 074-03-00.5 W ASR No.: Ground Elev: 3.0

Loc. 2 Address: 11 PARKER AVE

City: MANASQUAN County: MONMOUTH State: NJ

Lat (NAD83): 40-07-22.0 N Long (NAD83): 074-02-58.0 W ASR No.: Ground Elev: 6.4

Loc. 3 Area of operation

Land Mobile Control Station meeting the 6.1 Meter Rule: NJ

Loc. 4 Area of operation

Operating within a 13.0 km radius around fixed location 2

Antennas

| | nt Frequencies o. (MHz) | Sta. Cls. | No. Units | No. Pagers | Emission Designator | - | | Ant. Ht./Tp | | Construct Deadline |
|-----|----------------------------|--------------|--------------|---------------|------------------------|-------------------|--------|----------------|--------|-----------------------|
| 1 1 | 000154.98000000 | FB | 1 | | 11K0F3E 20K0F3E | (watts) 25.000 | 25.000 | meters 21.0 | meters | Date |
| 2 1 | 000154.98000000 | FB2 | 1 | 30 | 11K0F3E 20K0F3E | 25.000 | 25.000 | 9.1 | 3.8 | 04-02-2004 |

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

Licensee Name: MANASQUAN HOOK & LADDER CO 1

Call Sign: KOC471 File Number: Print Date:

Antennas

| | | Frequencies (MHz) | Sta. Cls. | No. Units | No. Pagers | Emission Designator | Output Power (watts) | | Ht./Tp | Ant. AAT meters | Construct Deadline Date |
|---|---|-------------------|--------------|--------------|---------------|------------------------|----------------------------|--------|--------|-----------------------|-------------------------------|
| 3 | 1 | 000153.74000000 | FX1 | 1 | | 11K0F3E 20K0F3E | 10.000 | 10.000 | | | |
| 4 | 1 | 000153.74000000 | МО | 20 | | 11K0F3E 20K0F3E | 25.000 | 25.000 | | | 10-04-2006 |
| 4 | 1 | 000154.98000000 | МО | 20 | | 11K0F3E 20K0F3E | 25.000 | 25.000 | | | 10-04-2006 |

Control Points

Control Pt. No. 1

Address: 33 ABE VOORHEES DR.

City: MANASQUAN County: MONMOUTH State: NJ Telephone Number: (732)223-0846

Control Pt. No. 2

Address: 111 PARKER AVE.

City: MANASQUAN County: MONMOUTH State: NJ Telephone Number: (732)223-0846

Associated Call Signs

<NA>

Waivers/Conditions:

Beginning January 1, 2013, this station must operate on channels with a bandwidth of 12.5 kHz or less, or with equivalent efficiency, regardless of the emission bandwidths set forth on this license. See Section 90.209(b)(5) of the Commission's Rules. Note, however, that the narrowbanding requirement does not apply to specific channels designated in Rule 90.20 or 90.35 for paging only.