

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: DATAPATH VERTICAL BRIDGE, LLC

ATTN: LATOYA ROSS
DATAPATH VERTICAL BRIDGE, LLC
750 PARK OF COMMERCE DRIVE, SUITE 200
BOCA RATON, FL 33487

Call Sign WPZL543	File Number
Radio Service YG - Industrial/Business Pool, Trunked	
Regulatory Status PMRS	
Frequency Coordination Number	

FCC Registration Number (FRN): 0026966614

Grant Date 12-04-2013	Effective Date 05-22-2019	Expiration Date 02-06-2024	Print Date
---------------------------------	-------------------------------------	--------------------------------------	-------------------

STATION TECHNICAL SPECIFICATIONS

Fixed Location Address or Mobile Area of Operation

- Loc. 1** Address: 455 FLAGLER AVE
City: HOMESTEAD County: MIAMI-DADE State: FL
Lat (NAD83): 25-28-27.0 N Long (NAD83): 080-28-16.0 W ASR No.: 1059233 Ground Elev: 2.7
- Loc. 2** Address: 2649 SOUTH BAYSHORE DRIVE
City: COCONUT GROVE County: MIAMI-DADE State: FL
Lat (NAD83): 25-43-51.0 N Long (NAD83): 080-14-11.0 W ASR No.: Ground Elev: 4.8
- Loc. 3** Address: 91600 OVERSEAS HWY
City: TAVERNIER County: MONROE State: FL
Lat (NAD83): 25-00-25.0 N Long (NAD83): 080-31-15.0 W ASR No.: 1059235 Ground Elev: 0.9
- Loc. 4** Address: U.S. Highway 1, Atlantic Side
City: Marathon County: MONROE State: FL
Lat (NAD83): 24-42-41.5 N Long (NAD83): 081-05-29.2 W ASR No.: 1211363 Ground Elev: 1.8
- Loc. 5** Address: LOT 56 BLOCK 9 N SUGAR LOAF ACRES 0.5 MI N OF US HWY 1 MM 19
City: SUGAR LOAF KEY County: MONROE State: FL
Lat (NAD83): 24-39-35.2 N Long (NAD83): 081-32-17.9 W ASR No.: 1059232 Ground Elev: 1.8
- Loc. 6** Address: STOCK ISLAND
City: KEY WEST County: MONROE State: FL
Lat (NAD83): 24-34-19.0 N Long (NAD83): 081-44-19.0 W ASR No.: 1016878 Ground Elev: 1.0

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

Licensee Name: DATAPATH VERTICAL BRIDGE, LLC

Call Sign: WPZL543

File Number:

Print Date:

Fixed Location Address or Mobile Area of Operation

Loc. 7 Area of operation
Operating within a 32.0 km radius around fixed location 1

Loc. 8 Area of operation
Operating within a 32.0 km radius around fixed location 2

Loc. 9 Area of operation
Operating within a 32.0 km radius around fixed location 3

Loc. 10 Area of operation
Operating within a 32.0 km radius around fixed location 4

Loc. 11 Area of operation
Operating within a 32.0 km radius around fixed location 5

Loc. 12 Area of operation
Operating within a 32.0 km radius around fixed location 6

Loc. 13 Area of operation
Statewide: FL

Antennas

Loc No.	Ant No.	Frequencies (MHz)	Sta. Cls.	No. Units	No. Pagers	Emission Designator	Output Power (watts)	ERP (watts)	Ant. Ht./Tp meters	Ant. AAT meters	Construct Deadline Date
1	1	000462.10000000	FB6	1		11K2F3E	100.000	147.300	97.5	100.0	02-06-2005
1	1	000463.63750000	FB6	1		11K2F3E	100.000	147.300	97.5	100.0	09-24-2014
1	1	000451.06250000	FB8	1		11K2F3E	100.000	147.300	97.5	100.0	09-24-2014
2	1	000462.47500000	FB6	1		11K2F3E	100.000	106.700	78.9	84.0	02-06-2005
2	1	000464.52500000	FB6	1		11K2F3E	100.000	106.700	78.9	84.0	09-24-2014
2	1	000451.11250000	FB8	1		11K2F3E	100.000	106.700	78.9	84.0	09-24-2014
3	1	000463.20000000	FB6	1		11K2F3E	100.000	140.700	94.5	96.0	02-06-2005
3	1	000463.43750000	FB6	1		11K2F3E	100.000	140.700	94.5	96.0	09-24-2014
3	1	000463.88750000	FB8	1		11K2F3E	100.000	140.700	94.5	96.0	09-24-2014
4	1	000461.80000000	FB6	1		11K2F3E	100.000	147.300	82.3	84.0	02-06-2005
4	1	000463.41250000	FB6	1		11K2F3E	100.000	147.300	82.3	84.0	09-24-2014

Licensee Name: DATAPATH VERTICAL BRIDGE, LLC

Call Sign: WPZL543

File Number:

Print Date:

Antennas

Loc No.	Ant No.	Frequencies (MHz)	Sta. Cls.	No. Units	No. Pagers	Emission Designator	Output Power (watts)	ERP (watts)	Ant. Ht./Tp meters	Ant. AAT meters	Construct Deadline Date
4	1	000462.01250000	FB8	1		11K2F3E	100.000	147.300	82.3	84.0	09-24-2014
5	1	000461.55000000	FB6	1		11K2F3E	100.000	157.800	113.1	115.0	02-06-2005
5	1	000463.78750000	FB6	1		11K2F3E	100.000	157.800	113.1	115.0	09-24-2014
5	1	000462.12500000	FB8	1		11K2F3E	100.000	157.800	113.1	115.0	09-24-2014
6	1	000462.17500000	FB6	1		11K2F3E	100.000	189.700	51.0	52.0	02-06-2005
6	1	000464.85000000	FB6	1		11K2F3E	100.000	189.700	51.0	52.0	09-24-2014
6	1	000461.92500000	FB8	1		11K2F3E	100.000	189.700	51.0	52.0	09-24-2014
7	1	000467.10000000	MO	200		11K2F3E	40.000	40.000			02-06-2005
7	1	000462.10000000	MO	200		11K2F3E	40.000	40.000			02-06-2005
7	1	000463.63750000	MO	200		11K2F3E	40.000	40.000			09-24-2014
7	1	000468.63750000	MO	200		11K2F3E	40.000	40.000			09-24-2014
7	1	000451.06250000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
7	1	000456.06250000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
8	1	000467.47500000	MO	200		11K2F3E	40.000	40.000			02-06-2005
8	1	000462.47500000	MO	200		11K2F3E	40.000	40.000			02-06-2005
8	1	000464.52500000	MO	200		11K2F3E	40.000	40.000			09-24-2014
8	1	000469.52500000	MO	200		11K2F3E	40.000	40.000			09-24-2014
8	1	000451.11250000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
8	1	000456.11250000	MO8	200		11K2F3E	40.000	40.000			09-24-2014

Licensee Name: DATAPATH VERTICAL BRIDGE, LLC

Call Sign: WPZL543

File Number:

Print Date:

Antennas

Loc No.	Ant No.	Frequencies (MHz)	Sta. Cls.	No. Units	No. Pagers	Emission Designator	Output Power (watts)	ERP (watts)	Ant. Ht./Tp meters	Ant. AAT meters	Construct Deadline Date
9	1	000468.20000000	MO	200		11K2F3E	40.000	40.000			02-06-2005
9	1	000463.20000000	MO	200		11K2F3E	40.000	40.000			02-06-2005
9	1	000463.43750000	MO	200		11K2F3E	40.000	40.000			09-24-2014
9	1	000468.43750000	MO	200		11K2F3E	40.000	40.000			09-24-2014
9	1	000463.88750000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
9	1	000468.88750000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
10	1	000466.80000000	MO	200		11K2F3E	40.000	40.000			02-06-2005
10	1	000461.80000000	MO	200		11K2F3E	40.000	40.000			02-06-2005
10	1	000463.41250000	MO	200		11K2F3E	40.000	40.000			09-24-2014
10	1	000468.41250000	MO	200		11K2F3E	40.000	40.000			09-24-2014
10	1	000462.01250000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
10	1	000467.01250000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
11	1	000466.55000000	MO	200		11K2F3E	40.000	40.000			02-06-2005
11	1	000461.55000000	MO	200		11K2F3E	40.000	40.000			02-06-2005
11	1	000463.78750000	MO	200		11K2F3E	40.000	40.000			09-24-2014
11	1	000468.78750000	MO	200		11K2F3E	40.000	40.000			09-24-2014
11	1	000462.12500000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
11	1	000467.12500000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
12	1	000467.17500000	MO	200		11K2F3E	40.000	40.000			02-06-2005

Licensee Name: DATAPATH VERTICAL BRIDGE, LLC

Call Sign: WPZL543

File Number:

Print Date:

Antennas

Loc No.	Ant No.	Frequencies (MHz)	Sta. Cls.	No. Units	No. Pagers	Emission Designator	Output Power (watts)	ERP (watts)	Ant. Ht./Tp meters	Ant. AAT meters	Construct Deadline Date
12	1	000462.17500000	MO	200		11K2F3E	40.000	40.000			02-06-2005
12	1	000461.92500000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
12	1	000466.92500000	MO8	200		11K2F3E	40.000	40.000			09-24-2014
12	1	000464.85000000	MO	200		11K2F3E	40.000	40.000			09-24-2014
12	1	000469.85000000	MO	200		11K2F3E	40.000	40.000			09-24-2014
13	1	000467.47500000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000468.20000000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000466.80000000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000466.55000000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000467.17500000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000467.10000000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000468.78750000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000468.41250000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000468.63750000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000469.52500000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000468.43750000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000469.85000000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000466.92500000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000467.01250000	FX1T	10		11K2F3E	20.000	20.000			

Licensee Name: DATAPATH VERTICAL BRIDGE, LLC

Call Sign: WPZL543

File Number:

Print Date:

Antennas

Loc No.	Ant No.	Frequencies (MHz)	Sta. Cls.	No. Units	No. Pagers	Emission Designator	Output Power (watts)	ERP (watts)	Ant. Ht./Tp meters	Ant. AAT meters	Construct Deadline Date
13	1	000467.12500000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000468.88750000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000456.06250000	FX1T	10		11K2F3E	20.000	20.000			
13	1	000456.11250000	FX1T	10		11K2F3E	20.000	20.000			

Control Points

Control Pt. No. 1

Address: 450 NE 1ST ROAD

City: HOMESTEAD **County:** MIAMI-DADE **State:** FL **Telephone Number:** (305)245-4511

Associated Call Signs

<NA>

Waivers/Conditions:

Antenna structures for land, base and fixed stations authorized for operation at temporary unspecified locations may be erected without specific prior approval of the Commission where such antenna structures do not exceed a height of 60.96 meters (200 feet) above ground level; provided that the overall height of such antennas more than 6.10 meters (20 feet) above ground, including their supporting structures (whether natural formation or man-made), do not exceed any of the slope ratios set forth in Section 17.7(b). Any antenna to be erected in excess of the foregoing limitations requires prior Commission approval. Licensees seeking such approval should file application for modification of license. In addition, notification to the Federal Aviation Administration is required whenever the antenna will exceed 60.96 meters (200 feet) above the ground and whenever notification is otherwise required by Section 17.7 of the Commission's Rules. Such notification should be given by filing FAA Form 7460-1, Notice of Proposed Construction or Alteration, in duplicate, with the nearest office of the Federal Aviation Administration, which form is available from that office.

Beginning January 1, 2013, this station must operate on channels with a bandwidth of 12.5 kHz or less, or with equivalent efficiency, regardless of the emission bandwidths set forth on this license. See Section 90.209(b)(5) of the Commission's Rules. Note, however, that the narrowbanding requirement does not apply to specific channels designated in Rule 90.20 or 90.35 for paging only.